



300
kWh/1000h

E
energy class

12
lumens/watt

PAR 56

300PAR56/WFL 230V

93106405

Product information

PAR lamps provide a robust and flexible design solution for a wide range of applications. Choice of PAR36, PAR46, PAR56 or PAR64

- 3000 K or 4200 K colour temperature
- Choice of beam widths
- Excellent colour rendering
- High efficiency combined with low operating costs
- Robust and reliable
- UV control
- Easy retrofit
- Colour consistent throughout life
- Colour blends with halogen and fluorescent

Application areas



Club and Disco



Product data

Product Code	93106405
Bulb Shape	PAR
Bulb Finish	Aluminized
Bulb Diameter [mm]	177.8
Maximum Overall Length [mm]	127
Net weight per piece [g]	633
Gross weight per piece [g]	703
Brand	Tungsräm
Cap/Base	G16d

Performance data

Nominal/ Rated Beam Angle [°]	30
Nominal center beam candlepower (CBCP) [cd]	10000
Rated Lumens [lm]	1900
Weighted energy consumption [kWh/1000h]	300.0
Useful lumens (at 90° cone) [lm]	1900
Energy efficiency class (EEC)	E
Rated Life [h]	2000
Nominal correlated colour temperature (CCT) [K]	2750
Nominal lumens [lm]	3450

Electrical data

Rated power [W]	300.0
Coil type	CC-13
Ballast Required	No
Nominal power [W]	300.0
Nominal lamp voltage [V]	230

Logistic data

DUN Code	15994100022050
EAN Code	5994100022053
Pack Quantity	12
Layer quantity	96 EUR, 132 UK
Layer quantity EUR	96
Layer quantity UK	132
Pallet quantity EUR (PC)	192
Pallet quantity UK (PC)	264
Outer case size	153 x 153 x 139 (mm)
Product status	Available

Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[Entertainment Pocket brochure \(PDF\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)

Disclaimer

Special purpose lamp – Stage Studio. Not suitable for household illumination.

